

Mode Orthogonality in Chirowaveguides

NADER ENGHETA, SENIOR MEMBER, IEEE, AND PHILIPPE PELET, STUDENT MEMBER, IEEE

Abstract—In this paper, we derive the orthogonality relations for modes supported by a general cylindrical chirowaveguide. As introduced in our earlier work, a chirowaveguide is a cylindrical waveguide filled with chiral or optically active materials. As in conventional waveguides, the orthogonality relations reported here can be used to expand an arbitrary E or H field within a chirowaveguide in terms of a complete set of mutually orthogonal modes in the waveguide.

I. INTRODUCTION

THE CONCEPT of chirality, or handedness, has been a subject of interest in a variety of fields, such as chemistry [1], particle physics [2], optics [3] and mathematics [4]. The original investigations of the effect of material chirality on light polarization, known as optical activity, date back to the 19th century. Arago [5], Biot [6]–[8], Pasteur [1], and Fresnel [9] all examined optical activity in solid and liquid chiral media. For the time harmonic excitation ($e^{-i\omega t}$) and isotropic case, a chiral medium is electromagnetically characterized by the following set of constitutive relations:

$$\mathbf{D} = \epsilon_c \mathbf{E} + i\xi_c \mathbf{B} \quad (1)$$

$$\mathbf{H} = i\xi_c \mathbf{E} + \mathbf{B}/\mu_c \quad (2)$$

where ϵ_c , μ_c , and ξ_c represent, respectively, the permittivity, permeability, and chirality admittance of the chiral medium [10]. It has been shown that electromagnetic waves in these media display two unequal characteristic wavenumbers,

$$k_{\pm} = \pm \omega \mu_c \xi_c + \omega \sqrt{\mu_c \epsilon_c + \mu_c^2 \xi_c^2}$$

for the right and left circularly polarized (RCP, LCP) eigenmodes [11]. The set of chiral constitutive relations given in (1) and (2) is actually a subset of the more general constitutive relations used to describe bianisotropic media. These generalized relations have been studied extensively by Kong [12]–[15]. Recently, there has been renewed attention to the area of wave propagation and radiation in chiral media owing to the possibility of fabricating such materials for microwaves and millimeter waves. In the past few years, electromagnetic chirality [16] and chiral materials have been extensively investigated in a large number of applications. Among these, one should mention wave-guiding structures filled with chiral materi-

Manuscript received November 15, 1989; revised June 18, 1990. This work was supported by the U.S. National Science Foundation under a Presidential Young Investigator Award (ECS-8957434).

The authors are with the Moore School of Electrical Engineering, University of Pennsylvania, Philadelphia, PA 19104.
IEEE Log Number 9038468.




Fig. 1. A cylindrical chirowaveguide filled with an isotropic lossless chiral material. The waveguide's cross section S is bounded by the curve C . Vector \mathbf{n} is the unit normal to the guide's wall.

als [17]–[19], dyadic Green's functions in chiral media [11], [20], transition radiation caused by a chiral slab [21], Doppler effects in chiral media [22], wave propagation in periodic chiral structures [23], spherical lenses made from chiral materials [24], [25], and reflection and refraction at a chiral–nonchiral interface [26]–[29].

In our previous works, we introduced the idea of a chirowaveguide, which is a cylindrical guided-wave structure filled with isotropic chiral materials, and we reported a detailed analysis of the propagation characteristics of electromagnetic waves guided through such structures [17], [18]. We also addressed the notable features of these waveguides and discussed their potential applications in microwave, millimeter-wave, and optical regimes. Here we analyze orthogonality relations for the modes of chirowaveguides. As in conventional waveguides, such orthogonality relations can be used to represent an arbitrary electric or magnetic field within a chirowaveguide in terms of the superposition of mode functions.

II. ORTHOGONALITY RELATIONS

Fig. 1 presents the geometry of the problem. A cylindrical waveguide with an arbitrary cross-sectional shape is filled with isotropic chiral materials described by (1) and (2). The axis of the waveguide is along the z axis. The walls of this chirowaveguide are assumed to be perfectly conducting. The cross section of the waveguide, which is bounded by the curve C , and parameters of the material filling the guide are independent of z . We have analyzed and reported elsewhere the general characteristics of guided modes in such a guided-wave structure. Let us now consider two different modes, viz., m th and n th modes, propagating in this chirowaveguide. The electric and magnetic fields of these modes are \mathbf{E}_m , \mathbf{H}_m , and \mathbf{E}_n ,

\mathbf{H}_n , respectively. β_m and β_n denote the wavenumbers in the guide for the m th and n th modes. The electromagnetic fields considered inside the chirowaveguide propagate along the z axis. Thus we have

$$\mathbf{E}_m = \mathbf{e}_m e^{i\beta_m z} = (\mathbf{e}_{m_t} + e_{m_z} \hat{\mathbf{z}}) e^{i\beta_m z} \quad (3)$$

$$\mathbf{H}_m = \mathbf{h}_m e^{i\beta_m z} = (\mathbf{h}_{m_t} + h_{m_z} \hat{\mathbf{z}}) e^{i\beta_m z} \quad (4)$$

for the m th guided mode and

$$\mathbf{E}_n = \mathbf{e}_n e^{i\beta_n z} = (\mathbf{e}_{n_t} + e_{n_z} \hat{\mathbf{z}}) e^{i\beta_n z} \quad (5)$$

$$\mathbf{H}_n = \mathbf{h}_n e^{i\beta_n z} = (\mathbf{h}_{n_t} + h_{n_z} \hat{\mathbf{z}}) e^{i\beta_n z} \quad (6)$$

for the n th guided mode, where $\hat{\mathbf{z}}$ is the unit vector along the z axis. Here, \mathbf{e}_m , \mathbf{h}_m , and \mathbf{e}_n , \mathbf{h}_n , with transverse parts \mathbf{e}_{m_t} , \mathbf{h}_{m_t} , and \mathbf{e}_{n_t} , \mathbf{h}_{n_t} , and the longitudinal components e_{m_z} , h_{m_z} , and e_{n_z} , h_{n_z} are functions of the transverse coordinates x and y . Without loss of generality, we assume that positive indices correspond to modes traveling in the positive z direction and negative indices to those traveling in the negative z direction.¹ These modes satisfy the Maxwell equations and the boundary conditions on the walls of the chirowaveguide. Thus we have

$$\nabla \times \mathbf{E}_m = i\omega\mu_c \mathbf{H}_m + \omega\mu_c \xi_c \mathbf{E}_m \quad (7)$$

$$\nabla \times \mathbf{H}_m = \omega\mu_c \xi_c \mathbf{H}_m - i\omega\epsilon_c \left(1 + \frac{\mu_c}{\epsilon_c} \xi_c^2\right) \mathbf{E}_m \quad (8)$$

$$\mathbf{n} \times \mathbf{E}_m = 0 \quad (9)$$

for the m th mode and

$$\nabla \times \mathbf{E}_n = i\omega\mu_c \mathbf{H}_n + \omega\mu_c \xi_c \mathbf{E}_n \quad (10)$$

$$\nabla \times \mathbf{H}_n = \omega\mu_c \xi_c \mathbf{H}_n - i\omega\epsilon_c \left(1 + \frac{\mu_c}{\epsilon_c} \xi_c^2\right) \mathbf{E}_n \quad (11)$$

$$\mathbf{n} \times \mathbf{E}_n = 0 \quad (12)$$

for the n th mode. Here \mathbf{n} is the unit normal to the wall of the chirowaveguide. From (7), (8), (10), (11), and vector identities, it can be easily shown that

$$\begin{aligned} \nabla \cdot (\mathbf{E}_m \times \mathbf{H}_n^*) &= \mathbf{H}_n^* \cdot \nabla \times \mathbf{E}_m - \mathbf{E}_m \cdot \nabla \times \mathbf{H}_n^* \\ &= i\omega\mu_c \mathbf{H}_m \cdot \mathbf{H}_n^* - i\omega\epsilon_c^* \left(1 + \frac{\mu_c}{\epsilon_c^*} \xi_c^{*2}\right) \mathbf{E}_m \cdot \mathbf{E}_n^* \\ &\quad + \mathbf{E}_m \cdot \mathbf{H}_n^* (\omega\mu_c \xi_c - \omega\mu_c^* \xi_c^*) \end{aligned} \quad (13)$$

and

$$\begin{aligned} \nabla \cdot (\mathbf{E}_n^* \times \mathbf{H}_m) &= \mathbf{H}_m \cdot \nabla \times \mathbf{E}_n^* - \mathbf{E}_n^* \cdot \nabla \times \mathbf{H}_m \\ &= -i\omega\mu_c^* \mathbf{H}_m \cdot \mathbf{H}_n^* + i\omega\epsilon_c \left(1 + \frac{\mu_c}{\epsilon_c} \xi_c^2\right) \mathbf{E}_m \cdot \mathbf{E}_n^* \\ &\quad - \mathbf{H}_m \cdot \mathbf{E}_n^* (\omega\mu_c \xi_c - \omega\mu_c^* \xi_c^*) \end{aligned} \quad (14)$$

where the asterisk denotes complex conjugation. Adding

¹For evanescent modes, this convention corresponds to modes decay in the positive and negative z directions, respectively.

(13) and (14), we obtain

$$\begin{aligned} \nabla \cdot (\mathbf{E}_m \times \mathbf{H}_n^* + \mathbf{E}_n^* \times \mathbf{H}_m) &= i\omega(\mu_c - \mu_c^*) \mathbf{H}_m \cdot \mathbf{H}_n^* \\ &\quad + i\omega \left\{ \epsilon_c \left(1 + \frac{\mu_c}{\epsilon_c} \xi_c^2\right) - \epsilon_c^* \left(1 + \frac{\mu_c^*}{\epsilon_c^*} \xi_c^{*2}\right) \right\} \mathbf{E}_m \cdot \mathbf{E}_n^* \\ &\quad + (\omega\mu_c \xi_c - \omega\mu_c^* \xi_c^*) (\mathbf{E}_m \cdot \mathbf{H}_n^* - \mathbf{H}_m \cdot \mathbf{E}_n^*). \end{aligned} \quad (15)$$

Now, provided that the chiral material filling the chirowaveguide is lossless, ϵ_c , μ_c , and ξ_c are real quantities; thus from (15) we obtain

$$\nabla \cdot (\mathbf{E}_m \times \mathbf{H}_n^* + \mathbf{E}_n^* \times \mathbf{H}_m) = 0. \quad (16)$$

Integrating (16) over the cross section of the waveguide and using $\nabla = \nabla_t + (\partial/\partial z)\hat{\mathbf{z}}$, we obtain

$$\begin{aligned} \int \int_S \nabla \cdot (\mathbf{E}_m \times \mathbf{H}_n^* + \mathbf{E}_n^* \times \mathbf{H}_m) dS &= \int \int_S \nabla_t \cdot (\mathbf{E}_m \times \mathbf{H}_n^* + \mathbf{E}_n^* \times \mathbf{H}_m) dS \\ &\quad + \hat{\mathbf{z}} \cdot \int \int_S \frac{\partial}{\partial z} (\mathbf{E}_m \times \mathbf{H}_n^* + \mathbf{E}_n^* \times \mathbf{H}_m) dS \\ &= 0. \end{aligned} \quad (17)$$

By using the two-dimensional form of the divergence theorem, the integral having the operator ∇_t in (17) can be written in the form of an integral over the contour C . Hence (17) can be written as

$$\begin{aligned} \int \int_C (\mathbf{E}_m \times \mathbf{H}_n^* + \mathbf{E}_n^* \times \mathbf{H}_m) \cdot \mathbf{n} dl &+ \hat{\mathbf{z}} \cdot \int \int_S \frac{\partial}{\partial z} (\mathbf{E}_m \times \mathbf{H}_n^* + \mathbf{E}_n^* \times \mathbf{H}_m) dS = 0 \end{aligned} \quad (18)$$

where dl is an infinitesimal line element along the curve C . Since the tangential components of the electric field on the surface of the boundary must vanish, the vector $(\mathbf{E}_m \times \mathbf{H}_n^* + \mathbf{E}_n^* \times \mathbf{H}_m)$ is tangent to the boundary; hence the line integral given in (18) is identically zero. Thus we have

$$\hat{\mathbf{z}} \cdot \int \int_S \frac{\partial}{\partial z} (\mathbf{E}_m \times \mathbf{H}_n^* + \mathbf{E}_n^* \times \mathbf{H}_m) dS = 0. \quad (19)$$

Substituting (3)–(6) into (19) yields

$$(\beta_m - \beta_n) \int \int_S (\mathbf{e}_m \times \mathbf{h}_n^* + \mathbf{e}_n^* \times \mathbf{h}_m) \cdot \hat{\mathbf{z}} dS = 0. \quad (20)$$

For the two different modes n and m , $\beta_m \neq \beta_n$. This implies that the above integral must be zero. That is,

$$\int \int_S (\mathbf{e}_m \times \mathbf{h}_n^* + \mathbf{e}_n^* \times \mathbf{h}_m) \cdot \hat{\mathbf{z}} dS = 0 \quad \text{for } m \neq n \text{ and } \beta_m \neq \beta_n. \quad (21)$$

This is an orthogonality relation for the modes in a lossless chirowaveguide.² If the two modes are the same,

²If the two modes are degenerate, i.e., $\beta_m = \beta_n$, (21) does not necessarily hold. To ensure orthogonality for degenerate modes, one can construct a proper linear combination of the degenerate modes such that the new subset becomes an orthogonal set and (21) applies to them. This technique is commonly used for conventional waveguides filled with nonchiral materials [30].

i.e., $n = m$, the above integral yields a nonzero value which is proportional to the power P_n carried by the mode. Thus, we can write (21) in the following form:

$$\iint_S (\mathbf{e}_m \times \mathbf{h}_n^* + \mathbf{e}_n^* \times \mathbf{h}_m) \cdot \hat{\mathbf{z}} dS = 4 P_n \operatorname{sgn}(n) \delta_{mn} \quad (22)$$

where δ_{mn} is a Kronecker delta, P_n is the power carried by the n th mode, and $\operatorname{sgn}(n)$ denotes the sign of n , i.e., the direction of propagation of the n th mode in the guide.

Using a similar derivation, we obtain another type of orthogonality relation for modes in chirowaveguides. That is,

$$\iint_S (\mathbf{e}_m \times \mathbf{h}_n - \mathbf{e}_n \times \mathbf{h}_m) \cdot \hat{\mathbf{z}} dS = 0. \quad (23)$$

These orthogonality relations resemble those obtained for gyrotropic waveguides [31].

As in conventional waveguides, the orthogonality relation (22) has the physical meaning that the power carried by an arbitrary electromagnetic field within a chirowaveguide is the sum of the powers carried by all possible modes in that waveguide. Indeed, (22) can be used to expand an arbitrary electric or magnetic field in a chirowaveguide in terms of the mode functions.³ More specifically, for a given time harmonic electric or magnetic field, \mathbf{E} or \mathbf{H} , satisfying the Maxwell equations and the boundary conditions within a chirowaveguide, one can write

$$\mathbf{E} = \sum_m a_m (\mathbf{e}_{m_t} + e_{m_z} \hat{\mathbf{z}}) e^{i\beta_m z} \quad (24)$$

$$\begin{aligned} \mathbf{H} &= (1/i\omega\mu_c)(\nabla \times \mathbf{E} - \omega\mu_c \xi_c \mathbf{E}) \\ &= \sum_m a_m (\mathbf{h}_{m_t} + h_{m_z} \hat{\mathbf{z}}) e^{i\beta_m z} \end{aligned} \quad (25)$$

where the sum is extended over all possible modes. By using (22), the expansion coefficients a_m are obtained as

$$a_n = \frac{e^{-i\beta_n z}}{4P_n \operatorname{sgn}(n)} \iint_S (\mathbf{E} \times \mathbf{h}_n^* + \mathbf{e}_n^* \times \mathbf{H}) \cdot \hat{\mathbf{z}} dS. \quad (26)$$

The alternative orthogonality relation given in (23) does not have physical meaning and the above-mentioned interpretation of power orthogonality does not hold for that relation. It must be noted that the mode orthogonality relation expressed in (22) applies only to lossless chirowaveguides. If either μ_c , ϵ_c , or ξ_c is a complex quantity, relation (22) will not hold. However, (23) holds for lossy as well as lossless chirowaveguides. It is also worth noting that in deriving the two orthogonality relations we did not need to assume that the material parameters are constant over the cross section of the chirowaveguide, only that

³Strictly speaking, such an expansion is allowed only when the mode functions form a *complete* set of linearly independent functions. Linear independence is guaranteed via the mode orthogonality derived here. However, these modes are to be shown to form a complete set. Here, we assume that they are complete without attempting to prove this assertion.

they are independent of z . Therefore, these orthogonality relations also hold for cylindrical chirowaveguides partially filled with chiral materials.

For open wave-guiding structures containing chiral materials, such as dielectric chirowaveguides which have no conducting walls, the foregoing results can also be applied. However, care must be taken in using these orthogonality relations for such open structures. It is well known that open waveguides can support two types of modes: guided modes with discrete wavenumbers, and radiation modes whose wavenumbers form a continuum. The guided modes have fields that decay exponentially away from the guiding region of the structure, whereas radiation modes have fields whose distributions are not localized near the guiding region. The indices m and n used to distinguish between two different modes may indicate either guided modes or radiation modes. For guided modes, these indices are discrete quantities while for radiation modes they form a continuum. In using (22) for open chirowaveguides, the surface S , over which the integral is carried out, is the entire transverse plane, normal to the longitudinal axis of the guide, extending to infinity.⁴ If the two different modes (m th and n th) are both guided modes or one is guided and the other is a radiation mode, the Kronecker delta can still be used and (22) still holds. However, if the two modes in (22) are radiation modes, the Kronecker delta must be replaced by the Dirac delta function $\delta(m - n)$. Furthermore, it must be noted that for open chirowaveguides, the expansions (24) and (25) should also include radiation modes for which integration must be used instead of summation. Therefore, for simplicity, the single summation symbol can be used to indicate both the sum over discrete guided modes and the integration over the continuum radiation modes.

III. SUMMARY


In this paper, we have obtained orthogonality relations for electromagnetic modes supported by cylindrical chirowaveguides. These wave-guiding structures are cylindrical waveguides containing chiral materials. It has been pointed out that one of these relations is valid for lossless waveguides while the other holds for the lossy as well as the lossless case. We have also demonstrated that the orthogonality relations can be used to express an arbitrary electric or magnetic field within a chirowaveguide in terms of the mode functions. The orthogonality relations obtained here resemble those used for gyrotropic waveguides.

⁴Indeed, in this case the surface S is split into two portions: one is the cross section of the waveguide S_g and the other is the rest of the transverse plane S_0 . Equation (17) is then used for each of the surfaces S_g and S_0 . When the two-dimensional form of the divergence theorem is used in the first integral of (17) over each surface, the line integral over contour C for the integral over surface S_g will be canceled by the line integral over the same contour for the integral over S_0 . This is due to the continuity of tangential electric and magnetic fields at the boundary of open wave-guiding structures. Thus the only line integral in (18) is the one being carried out at infinity, which, for guided modes, vanishes.

REFERENCES

- [1] L. Pasteur, "Sur les relations qui peuvent exister entre la forme cristalline, la composition chimique et le sens de la polarisation rotatoire," *Ann. de Chim. et de Phys.*, vol. 24, pp. 442-459, 1848.
- [2] S. L. Adler and R. F. Dashen, *Current Algebra*. New York: W. A. Benjamin, 1968.
- [3] J. F. Nye, *Physical Properties of Crystals*. Oxford: Oxford University Press, 1957.
- [4] F. M. Jaeger, *Lectures on the Principles of Symmetry*. London: Cambridge University Press, 1917.
- [5] D. F. Arago, "Sur une modification remarquable qu'éprouvent les rayons lumineux dans leur passage à travers certains corps diaphanes, et sur quelques autres nouveaux phénomènes d'optique," *Mém. Inst. I*, pp. 93-134, 1811.
- [6] J. B. Biot, "Mémoire sur un nouveau genre d'oscillations que les molécules de la lumière éprouvent, en traversant certains cristaux," *Mém. Inst. I*, p. 1, 1812.
- [7] J. B. Biot, "Sur les rotations que certaines substances impriment aux axes de polarisation des rayons lumineux," *Mém. Acad. Sci.*, vol. 2, p. 41, 1838.
- [8] J. B. Biot, "Mémoire sur la polarisation circulaire et sur ses applications à la chimie organique," *Mém. Acad. Sci.*, vol. 13, p. 93, 1838.
- [9] A. Fresnel, "Mémoire sur la double refraction que les rayons lumineux éprouvent en traversant les aiguilles de cristal de roche suivant des directions parallèles à l'axe," *Oeuvres I*, pp. 731-751, 1822.
- [10] D. L. Jaggard, A. R. Mickelson, and C. H. Papas, "On electromagnetic waves in chiral media," *Appl. Phys.*, vol. 28, p. 211, 1979.
- [11] S. Bassiri, N. Engheta, and C. H. Papas, "Dyadic Green's function and dipole radiation in chiral media," *Alta Frequenza*, vol. LV-2, pp. 83-88, 1986.
- [12] J. A. Kong, "Theorems of bianisotropic media," *Proc. IEEE*, vol. 60, 1036-1046, 1972.
- [13] J. A. Kong, "Optics of bianisotropic media," *J. Opt. Soc. Amer.*, vol. 64, pp. 1304-1308, 1974.
- [14] D. K. Cheng and J. A. Kong, "Covariant descriptions of bianisotropic media," *Proc. IEEE*, vol. 56, pp. 248-251, 1968.
- [15] J. A. Kong, *Electromagnetic Wave Theory*. New York: Wiley, 1986.
- [16] N. Engheta and D. L. Jaggard, "Electromagnetic chirality and its applications," *IEEE Antennas & Propagat. Newsletter*, vol. 30, no. 5, pp. 6-12, 1988.
- [17] N. Engheta and P. Pelet, "Modes in chirowaveguides," *Opt. Lett.*, vol. 14, no. 11, June 1989.
- [18] P. Pelet and N. Engheta, "The theory of chirowaveguides," *IEEE Trans. Antennas Propagat.*, vol. 38, pp. 90-98, Jan. 1990.
- [19] P. Pelet and N. Engheta, "Coupled-mode theory for chirowaveguides," *J. Appl. Phys.*, vol. 67, pp. 2742-2745, Mar. 1990.
- [20] N. Engheta and S. Bassiri, "One- and two-dimensional dyadic Green's function in chiral media," *IEEE Trans. Antennas Propagat.*, vol. 37, pp. 512-515, 1989.
- [21] N. Engheta and A. R. Mickelson, "Transition radiation caused by a chiral plate," *IEEE Trans. Antennas Propagat.*, vol. AP-30, no. 6, pp. 1213-1216, 1982.
- [22] N. Engheta, M. W. Kowarz, and D. L. Jaggard, "Effect of chirality on the Doppler shift and aberration of light waves," *J. Appl. Phys.*, vol. 66, no. 6, pp. 2274-2277, 1989.
- [23] D. L. Jaggard et al., "Periodic chiral structures," *IEEE Trans. Antennas Propagat.*, vol. 37, pp. 1447-1452, Nov. 1989.
- [24] N. Engheta and M. W. Kowarz, "Antenna radiation in the presence of a chiral sphere," *J. Appl. Phys.*, vol. 67, no. 2, pp. 639-647, Jan. 1990.
- [25] M. W. Kowarz and N. Engheta, "Spherical chiro-lenses," *Opt. Lett.*, vol. 15, no. 6, pp. 299-301, Mar. 1990.
- [26] S. Bassiri, C. H. Papas, and N. Engheta, "Electromagnetic wave propagation through a dielectric-chiral interface and through a chiral slab," *J. Opt. Soc. Amer.*, vol. A5, no. 9, pp. 1450-1459, 1988.
- [27] M. P. Silverman, "Reflection and refraction at the surface of a chiral medium: Comparison of gyrotropic constitutive relations invariant or noninvariant under duality transformation," *J. Opt. Soc. Amer.*, vol. A3, pp. 830-837, 1986.
- [28] M. P. Silverman, "Experimental configuration using optical phase modulation to measure chiral asymmetries in light specularly reflected from a naturally gyrotropic medium," *J. Opt. Soc. Amer.*, vol. A5, no. 11, pp. 1852-1862, 1988.
- [29] A. Lakhtakia, V. V. Varadan, and V. K. Varadan, "What happens to plane waves at the planar interfaces of mirror-conjugated chiral media," *J. Opt. Soc. Amer.*, vol. A6, no. 1, pp. 23-26, 1989.
- [30] R. E. Collin, *Field Theory of Guided Waves*. New York: McGraw-Hill, 1960.
- [31] L. R. Walker, "Orthogonality relations for gyrotropic waveguides," *J. Appl. Phys.*, vol. 28, no. 3, p. 377, 1957.

✱



Nader Engheta (S'80-M'82-SM'89) was born in Tehran, Iran, on October 8, 1955. He received the B.S. degree (with honors) in electrical engineering from the University of Tehran in 1978 and the M.S. degree in electrical engineering and the Ph.D. degree in electrical engineering and physics from the California Institute of Technology, Pasadena, in 1979 and 1982, respectively.

From June 1982 to June 1983, he was a Postdoctoral Research Fellow at Caltech working on problems relevant to wave propagation, microwaves, and remote sensing. He was also associated, on a part-time basis, with the Radar Remote Sensing Group of Caltech's Jet Propulsion Laboratory investigating theoretical problems related to remote sensing. From June 1983 to June 1987, he was a Senior Research Scientist at Kaman Sciences Corporation, Dikewood Division, working on various problems in microwaves such as high-power-microwaves, printed-circuit antennas, lightning effects, EMP simulator designs, and microwave corona. During that period, he was also a Visiting Associate at Caltech working on fundamental problems of optical and electromagnetic wave propagation in inhomogeneous, nonlinear, and chiral and optically active materials. In July 1987, he joined the faculty of the Moore School of Electrical Engineering, University of Pennsylvania, Philadelphia, where he is currently an Associate Professor of Electrical Engineering. His current research interests are in the areas of optics, microwaves, wave interactions with chiral and complex materials and their applications to microwave and integrated optical devices and components, microwave materials, antennas, and integrated waveguides.

Dr. Engheta is a member of the Optical Society of America, the American Physical Society, the American Association for the Advancement of Science, and Sigma Xi. He has served as Vice-Chairman (1988-89) and Chairman (1989-91) of the joint AP-S/MTT-S Philadelphia Chapter. He is the Guest Editor of a special issue of the *Journal of Electromagnetic Waves and Applications* on wave interaction with chiral and complex media. He was a recipient of an AT&T Foundation Special Purpose Grant in 1988 and an NSF Presidential Young Investigator Award in 1989.

✱



Philippe Pelet (S'90) was born in Menton, France, on May 12, 1964. He received the Engineering degree (with honors) from the Ecole Nationale Supérieure d'Ingénieurs en Constructions Aéronautiques de Toulouse, France, in 1987 and the M.S.E. degree in electrical engineering from the Moore School of Electrical Engineering, University of Pennsylvania, Philadelphia, in 1989. He is currently a Ph.D. student at the Moore School of Electrical Engineering, and his research interests center on chiral media, microwave propagation, antennas, and signal processing.