



6-2013

## Robot Parkour: The Ground Reaction Complex & Dynamic Transitions

Aaron M. Johnson

Follow this and additional works at: [https://repository.upenn.edu/ese\\_papers](https://repository.upenn.edu/ese_papers)

 Part of the [Electrical and Computer Engineering Commons](#), and the [Systems Engineering Commons](#)

---

### Recommended Citation

Aaron M. Johnson, "Robot Parkour: The Ground Reaction Complex & Dynamic Transitions", . June 2013.

BibTeX entry

```
@@inproceedings{johnson_dw_2013, title = {Robot Parkour: The Ground Reaction Complex & Dynamic Transitions},  
booktitle = {Dynamic Walking}, year = {2013}, author = {Aaron M Johnson and D E Koditschek}, month = {June} }
```

This work was supported by the ARL/GDRS RCTA project under Cooperative Agreement W911NF-10-2-0016.

This paper is posted at ScholarlyCommons. [https://repository.upenn.edu/ese\\_papers/659](https://repository.upenn.edu/ese_papers/659)  
For more information, please contact [repository@pobox.upenn.edu](mailto:repository@pobox.upenn.edu).

---

## Robot Parkour: The Ground Reaction Complex & Dynamic Transitions

### Abstract

Many locomotion tasks on real, complex terrain are poorly modeled as deviations from limit cycles of steady state running. As obstacles become larger and larger relative to leg length, every step is novel and challenging: the leap onto a ledge in Fig. 1 is quite unlike any running step. We seek to organize and systematically reduce this space to a finite set of dynamic transition “words” in order to enable dramatic outdoor transitional behaviors.

For more information: [Kod\\*Lab](#)

### Disciplines

Electrical and Computer Engineering | Engineering | Systems Engineering

### Comments

BibTeX entry

```
@@inproceedings{johnson_dw_2013, title = {Robot Parkour: The Ground Reaction Complex & Dynamic Transitions}, booktitle = {Dynamic Walking}, year = {2013}, author = {Aaron M Johnson and D E Koditschek}, month = {June} }
```

This work was supported by the ARL/GDRS RCTA project under Cooperative Agreement W911NF-10-2-0016.

# Robot Parkour: The Ground Reaction Complex & Dynamic Transitions

Aaron M. Johnson and D. E. Koditschek

## I. MOTIVATION

Many locomotion tasks on real, complex terrain are poorly modeled as deviations from limit cycles of steady state running. As obstacles become larger and larger relative to leg length, every step is novel and challenging: the leap onto a ledge in Fig. 1 is quite unlike any running step. We seek to organize and systematically reduce this space to a finite set of dynamic transition “words” in order to enable dramatic outdoor transitional behaviors.

## II. STATE OF THE ART

State of the art approaches formulate dynamic transitions as compositions of attractor basins [1, 2]. However even if the environment is exactly and accurately modeled, the full range of possible dynamic transitions will often have a combinatorial character whose representation via a “prepares” graph may not be straightforward and whose direct enumeration might become intractable. Other methods seek to smooth out the discrete nature of hybrid transitions [3], allowing local planning across these boundaries, but without directly exploring the multitude of dynamic interactions that the system affords.

## III. OWN APPROACH

Starting in [4], we posited that a better method would be to exploit the intrinsic vocabulary enumerated by the various contact conditions available to a robot whose transitions require that it engage the varied mechanics afforded by its surroundings. Each contact condition defines a hybrid system state with smooth Hamiltonian dynamics, formally generated using self-manipulation [5]. These states fit together as a “ground reaction complex”, which for RHex over level ground is a simplicial tetrahedron [4], and whose structure we conjecture may be a bit worse in general but still “regular” enough to codify topologically. This topological structure, together with some properties of the underlying dynamics, indexes the allowable cell transition sequences, or transition “words”. In this work, we show a generalization of these ideas to a wider class of robot morphologies, as well as breaking out of the lab and onto more complex terrain.

## IV. CURRENT RESULTS

The reward for setting up this cell complex is the generation of an index of all possible dynamic transitions. As first documented in [4], for a simple leaping transition (transitions starting at rest on the ground and ending in the fully aerial cell) each of these words has different properties and may

University of Pennsylvania, 200 S. 33rd St, Philadelphia, PA 19104, USA, {aaronjoh, kod}@seas.upenn.edu




Fig. 1: XRL [6] leaping upward onto a 73cm high table, nearly 1.5 times its bodylength. Frames taken every 100ms from a high speed video.

be useful in different situations. Here we present further behavior results derived and informed by this ground reaction complex, now extending to non-flat and outdoor terrain.

## V. BEST POSSIBLE OUTCOME

This work promises to provide an underlying structure for generation and reasoning about dynamic transitions, whether designed by hand or via some automated motion planning algorithm. By indexing systematically all of the hybrid transitions we separate control of the intervening (smooth) Hamiltonian flows from the combinatorics of their succession. For known environments, it should be possible to engage the resulting grammar with appropriate tools allowing a robot to generate these transitions online as it encounters the challenging terrain. We conjecture that even rather different geometries whose surfaces present similar mechanics may give rise to cell complexes whose grammars are also similar enough that a few simple robust “words” might provide an effective basis of transition strategies.

## ACKNOWLEDGMENTS

This work was supported by the ARL/GDRS RCTA project under Cooperative Agreement W911NF-10-2-0016.

## REFERENCES

- [1] R. R. Burridge, A. A. Rizzi, and D. E. Koditschek, “Sequential composition of dynamically dexterous robot behaviors,” *The International Journal of Robotics Research*, vol. 18, no. 6, pp. 534–555, 1999.
- [2] R. Tedrake, I. Manchester, M. Tobenkin, and J. Roberts, “Lqr-trees: Feedback motion planning via sums-of-squares verification,” *The Intl. Journal of Robotics Research*, vol. 29, no. 8, pp. 1038–1052, 2010.
- [3] M. Posa and R. Tedrake, “Direct trajectory optimization of rigid body dynamical systems through contact,” in *Workshop on the Algorithmic Foundations of Robotics*, 2012.
- [4] A. M. Johnson and D. E. Koditschek, “Toward a vocabulary of legged leaping,” in *IEEE Intl. Conference on Robotics and Automation*, 2013, to Appear. Online: <http://kodlab.seas.upenn.edu/Aaron/ICRA2013>.
- [5] —, “Self-manipulation for a legged robot,” 2013, In preparation.
- [6] G. C. Haynes, J. Pusey, R. Knopf, A. M. Johnson, and D. E. Koditschek, “Laboratory on legs: an architecture for adjustable morphology with legged robots,” in *Unmanned Systems Technology XIV*, vol. 8387, no. 1. SPIE, 2012, p. 83870W.