



12-1-2011

Community Violence Exposure and Positive Youth Development in Urban Youth

Catherine C McDonald
University of Pennsylvania

Janet A Deatrick

Nancy Kassam-Adams

Therese S. Richmond
University of Pennsylvania, terryr@nursing.upenn.edu

Follow this and additional works at: <https://repository.upenn.edu/nrs>

 Part of the [Nursing Commons](#)

Recommended Citation

McDonald, C., Deatrick, J., Kassam-Adams, N., & Richmond, T. S. (2011). Community Violence Exposure and Positive Youth Development in Urban Youth. *Journal of Community Health*, 36 (6), 925-932.
<http://dx.doi.org/10.1007/s10900-011-9391-5>

This paper is posted at ScholarlyCommons. <https://repository.upenn.edu/nrs/74>
For more information, please contact repository@pobox.upenn.edu.

Community Violence Exposure and Positive Youth Development in Urban Youth

Abstract

Youth in urban environments are exposed to community violence, yet some do well and continue on a positive developmental trajectory. This study investigated the relationships between lifetime community violence exposure (including total, hearing about, witnessing, and victimization), family functioning, and positive youth development (PYD) among 110 urban youth ages 10-16 years (54% female) using a paper and pen self-report survey. This cross-sectional study was part of an interdisciplinary community-based participatory research effort in West/Southwest Philadelphia. Almost 97% of the sample reported some type of community violence exposure. Controlling for presence of mother in the home and presence of father in the home, separate linear regression models for PYD by each type of community violence exposure indicated that gender and family functioning were significantly associated with PYD. None of the types of community violence exposure were significant in the models. Significant interactions between gender and presence of mother in the home and gender and family functioning helped better explain these relationships for some of the types of community violence exposure. Presence of mother was associated with higher PYD for girls, but not for boys. Boys with poor family functioning had lower PYD than girls with poor family functioning. This study helps to better delineate relationships between CVE and PYD by adding new knowledge to the literature on the role of family functioning. Points of intervention should focus on families, with attention to parental figures in the home and overall family functioning.

Keywords

Adolescent, Adolescent Development, African Americans, Child, Child Development, Family Characteristics, Family Relations, Female, Humans, Linear Models, Male, Philadelphia, Residence Characteristics, Sex Factors, Urban Health, Violence

Disciplines

Medicine and Health Sciences | Nursing

Published in final edited form as:

J Community Health. 2011 December ; 36(6): 925–932. doi:10.1007/s10900-011-9391-5.

Community Violence Exposure and Positive Youth Development in Urban Youth

Catherine C. McDonald,

Ruth L. Kirschstein NRSA Postdoctoral Fellow, University of Pennsylvania, School of Nursing, Center for Health Equity Research, 2L, 418 Curie Boulevard, Philadelphia, PA 19104-4217, USA. Philadelphia Collaborative Violence Prevention Center, 3535 Market St. Suite 1150, Philadelphia, PA 19104, USA

Janet A. Deatrck,

Center for Health Equity Research, University of Pennsylvania School of Nursing, Philadelphia, PA, USA

Nancy Kassam-Adams, and

Philadelphia Collaborative Violence Prevention Center, 3535 Market St. Suite 1150, Philadelphia, PA 19104, USA. The Center for Injury Research and Prevention, The Children's Hospital of Philadelphia, Philadelphia, PA, USA

Therese S. Richmond

Philadelphia Collaborative Violence Prevention Center, 3535 Market St. Suite 1150, Philadelphia, PA 19104, USA, Division of Biobehavioral & Health Sciences, University of Pennsylvania, School of Nursing, Philadelphia, PA, USA

Catherine C. McDonald: mcdonalc@nursing.upenn.edu

Abstract

Youth in urban environments are exposed to community violence, yet some do well and continue on a positive developmental trajectory. This study investigated the relationships between lifetime community violence exposure (including total, hearing about, witnessing, and victimization), family functioning, and positive youth development (PYD) among 110 urban youth ages 10–16 years (54% female) using a paper and pen self-report survey. This cross-sectional study was part of an interdisciplinary community-based participatory research effort in West/Southwest Philadelphia. Almost 97% of the sample reported some type of community violence exposure. Controlling for presence of mother in the home and presence of father in the home, separate linear regression models for PYD by each type of community violence exposure indicated that gender and family functioning were significantly associated with PYD. None of the types of community violence exposure were significant in the models. Significant interactions between gender and presence of mother in the home and gender and family functioning helped better explain these relationships for some of the types of community violence exposure. Presence of mother was associated with higher PYD for girls, but not for boys. Boys with poor family functioning had lower PYD than girls with poor family functioning. This study helps to better delineate relationships between CVE and PYD by adding new knowledge to the literature on the role of family functioning. Points of intervention should focus on families, with attention to parental figures in the home and overall family functioning.

Keywords

Community violence; Family functioning; Positive youth development; Urban

Introduction

Community violence exposure (CVE) is a public health problem of dire proportions affecting urban youth. CVE includes direct victimization, witnessing, and hearing about violent acts in the community, and can be an extreme stressor that affects the physical and mental health of youth [1, 2]. Over 85% of urban youth report witnessing some form of community violence in their lifetime and almost 70% report direct victimization [3–8]. The physical and cognitive immaturity of youth place them at risk for poor health outcomes such as depression, anxiety, posttraumatic stress, aggression, sleep disturbances, and somatization in response to CVE [5, 9–13]. If young people are the future of society, exposure to violence and its negative ramifications are unacceptable and demand innovative solutions.

Although there are consistent empirical findings for the relationship between CVE and mental health symptoms, not all youth in urban settings who are exposed to community violence develop negative sequelae [14]. Some display signs of positive youth development (PYD), even given these experiences and environment. A PYD perspective expands knowledge beyond the *absence* of problem behaviors or pathology to the *presence* of healthy development [15–17]. PYD encompasses the overarching idea of a strengths-based approach, individual and ecological characteristics involved in development, and an outcome of PYD as a concept to be measured through empirical indicators. Indicators of PYD extend beyond just mental health, to include success in school, caring for others, and overall sense of positive self-worth and self-efficacy [16–20]. In assessing outcomes of PYD, the potential of young people is emphasized, rather than deficits and poor outcomes [16–20]. Understanding CVE and PYD in potentially vulnerable urban youth can help foster improved developmental outcomes.

The role of the family in the proximal context of development is critical [21] and this is true even when youth are exposed to trauma [22]. The processes and interactions among members within a family system are important in assessing the effects of CVE [23]. Family may act as a protective factor to the effects of CVE which ultimately could support PYD [24]. To determine if this is the case, we undertook this study. The purpose of this study was to examine the relationship between CVE, family functioning, and PYD in a sample of community-dwelling urban youth.

Methods

This study was a component of a larger parent study conducted by the Philadelphia Collaborative Violence Prevention Center (PCVPC) called “Living Healthy in Philadelphia.” The PCVPC is an interdisciplinary community-based participatory research center with a mission to design, implement and evaluate programs that enhance the resiliency of communities affected by violence and to reduce the frequency and impact of youth violence, injury and death in communities of West/Southwest (W/SW) Philadelphia [25]. In “Living Healthy,” a quantitative, cross-sectional design using self-administered surveys sought to examine individual and environmental stressors and assets in a youth living in W/SW Philadelphia. Data were collected between June and August of 2008. The measures for “Living Healthy” were chosen jointly by community and academic partners and based on data from qualitative interviews completed with youth in the community [26].

The sample for this study was a convenience sample of 110 community-dwelling youth ages 10–16 living in W/SW Philadelphia. During data collection for “Living Healthy,” data were monitored as they were collected to achieve a sample of youth with roughly equal distribution by age (10–13 and 14–16 years), gender, and the three neighborhoods in W/SW Philadelphia. Youth were recruited through two possible mechanisms: (a) referral by adult members of the Philadelphia Area Research Community Collaborative (PARCC) and their respective community groups, or (b) recruitment from a variety of community sites where parents and youth congregate (e.g., outside a recreation center, the local library, fast food restaurants) by community liaison Research Assistants (RAs). PARCC members and community liaison RAs (“recruiters”) were trained on eligibility criteria, recruitment and retention protocol, consent, and child safety. Youth assent and parental/guardian consent were obtained. This study was approved by the University of Pennsylvania Institutional Review Board.

Measurements

The participants were provided with paper and pen surveys. As part of the self-administered survey, the instruments and data pertinent to this analysis included the demographic information, lifetime history of CVE, PYD, and family functioning.

Demographic Data—Information on age, gender, ethnicity, race, presence of mother in the home (yes/no) and presence of father in the home (yes/no) was gathered.

Community Violence Exposure—The Children’s Report of Exposure to Violence (CREV) [1] was used to gather data on CVE. The CREV is based on the operational definition of community violence, which is “deliberate acts intended to cause physical harm against a person or persons in the community” [9]. The instrument assesses four modes of lifetime exposure to community violence CVE; media, direct victimization, witnessing and hearing about (hearing about other people’s reports of occurrence). The CREV includes three categories of victims: strangers, familiar persons, and self. Items are rated on a 5point Likert scale (no/never, one time, a few times, many times, and every day). The subscales of direct victimization, witnessing, and hearing about community violence, as well as Total CVE (sum of the direct victimization, witnessing, and hearing about community violence subscales) were used for the analyses in this study. Higher scores indicate more exposure. Possible ranges of scores were: Total CVE (0–96), direct victimization (0–16), witnessing (0–40), and hearing about (0–40). In our sample, the Cronbach alpha coefficients were: total CVE $\alpha = .91$, direct victimization $\alpha = .57$, witnessing $\alpha = .82$, and hearing about $\alpha = .91$.

Positive Youth Development—The measurement of PYD came from the *Measure of the 5 Cs and PYD from the 4-H Study of PYD* [17]. This instrument was originally used in the 4-H Study of PYD, a one-year longitudinal study of predominately European-American 10 and 11 year olds (<10% of sample was African American) [20]. The measurement of PYD is a composite of five subscales representing the five C’s: Confidence, Competence, Character, Caring, and Connection. The items for the *Measure of the 5 Cs and PYD from the 4-H Study of PYD* were empirically selected from the previously validated instruments of the Profiles of Student Life Attitudes and Behaviors Survey [27], the Self-Perception Profile for Children [28], the Teen Assessment Project Survey Questions Bank [29], the Interpersonal Reactivity Scale [30], and the Eisenberg Sympathy Scale [31]. A total score, calculated as the mean of the five C’s, was used for data analysis. Scores for each of the five C’s and PYD have a possible range of 0–100. In this study, the Cronbach alpha for the overall score of PYD was $\alpha = .86$. For the five C’s in this study, the reliabilities were: Competence ($\alpha = .85$), Confidence ($\alpha = .89$), Connection ($\alpha = .93$), Character ($\alpha = .91$), and Caring ($\alpha = .80$).

Family Functioning—The McMaster Family Assessment Device (FAD) 12-item General Functioning Scale was used to measure family functioning [23]. Family functioning is characterized by the overall health and pathology of the family system, encompassing six dimensions: problem solving, communication, roles, affective responsiveness, affective involvement, and behavior control [23]. In this study, family was conceptualized as “A self-identified group of two or more individuals...who function in a way that they consider themselves to be a family” [32]. Participants self-defined family and were asked to complete this instrument by using *whoever they considered to be family*. Items were on a 4-point Likert scale (strongly agree to strongly disagree) and scores could range from 1 to 4 with lower scores indicate healthier functioning. In this study, the Cronbach alpha in the overall sample was $\alpha = .85$.

Missing Data

There was over 25% missing data on the outcome variable of PYD. In order to address the loss of statistical power from missing data for the regression analysis, Imputation by Chained Equations (ICE) was conducted in Stata 11 [33]. Twenty-five imputations were created. The multiply imputed data sets were used for regression analyses only. Descriptive statistics in the tables, correlations, independent sample *t* tests, Wilcoxon–Mann–Whitney tests, and chi-square tests did not use the imputed data sets.

Results

The sample was 54% female and 46% male with an average age of 13.1 years (SD 1.97). Over 96% of the sample reported being African American, 1% White, and 2% from multiracial backgrounds; the sample was predominately non-Hispanic (94%). Eighty percent ($n = 88$) reported having a mother in the home, and almost 31% ($n = 34$) reported having a father in the home.

Over 97% of the sample reported some type of CVE. Table 1 describes CVE percentages by type. Greater than half of the youth (54%) had been directly victimized. Of the total sample, almost 40% ($n = 44$) had been beaten up, 33% ($n = 36$) had been chased or seriously threatened, 15% ($n = 17$) robbed or mugged, and 5% ($n = 6$) had been shot or stabbed. A categorical variable for victimization was created, with 38% ($n = 41$) of the youth reporting repeated victimization (≥ 2 times). Eighty three percent ($n = 91$) reported hearing about a stranger being killed and over 70% ($n = 77$) reported hearing about someone they knew being killed. Thirteen youth (12%) reported seeing a stranger killed and five youth (5%) reported seeing someone they knew killed. (See Table 2).

Bivariate relationships are presented in Table 3. Higher levels of total CVE, victimization, and witnessing were significantly associated with lower PYD. Healthier family functioning was significantly associated with higher PYD, higher levels of victimization and witnessing violence.

Table 4 describes the gender differences in the sample. Boys reported significantly higher levels of direct victimization, witnessing, hearing about, and total CVE than girls. Girls had significantly higher scores of PYD than boys. Boys had significantly unhealthier family functioning.

Regression Modeling

Linear regression was used to model relationships between CVE, family functioning, and PYD and also included gender, mother in the home, and father in the home. Models for PYD were run separately for each CVE type (total CVE, victimization, witnessing, and hearing

about community violence) to examine differences among the different types of exposure. Due to skewness of victimization, a categorical variable of never been victimized, victimized once, and repeated victimization (≥ 2 times) was used. After the main regression analyses, exploratory analysis was conducted with gender interactions, based on the statistical differences by gender in types of CVE, family functioning, and PYD. Table 5 shows the results of the regression models for PYD with and without interactions.

In the models without interactions, girls had higher PYD among all types of CVE and healthier family functioning was associated with higher PYD. No type of CVE, mother in the home, or father in the home was associated with PYD in the regression models. There were significant interactions between gender and mother in the home in all interaction models. As seen in Table 5, across CVE types, girls with a mother in the home had significantly higher PYD than boys with a mother in the home. In the models for Total CVE, hearing about, and witnessing community violence, there was a significant interaction between gender and family functioning. PYD was significantly lower for boys reporting unhealthy family functioning compared to girls having unhealthy family functioning. Other interactions with gender were not significant and none of the types of CVE was significant in these models.

Discussion

The findings from this study with a sample of community-dwelling youth in an under-resourced urban setting indicate that family matters. Family functioning had the strongest influence on PYD in the context of all the different types of CVE. Healthier family functioning was consistently associated with higher PYD. Our findings confirm the existing literature indicating that parental communication, parental concern, and parental supervision support resilience in youth exposed to violence [13, 34], though are contrary to those showing family support is not protective in youth exposed to CVE [24, 35–37]. Family functioning in our study, however, was assessed not just in reference to parents, but was based on the way that youth self-defined family.

The gender interactions in the models highlight that family is important for both girls and boys but in different ways. First, for girls, having a mother in the home was associated with significantly better outcomes than boys. Other studies also demonstrate that mothers are important for girls in urban environments, as a protective influence in their lives [38]. Mothers can play a role in protection from harm and preparation for independence, which can change over the developmental course of adolescence [39]. The interplay of these two roles illuminates how mothers are important not just in protecting against negative outcomes for girls, but in augmenting healthy development. Second, for boys, unhealthy family functioning was associated with significantly lower PYD than girls with unhealthy family functioning. The findings suggest that for boys, it is not necessarily the presence of a parental figure in the home, but instead the global family dimensions of problem solving, communication, roles, affective responsiveness, affective involvement, and behavior control that influence outcomes. Previous studies investigating family phenomena (e.g., family support) and gender differences associated with CVE and youth outcomes indicates complex relationships [40, 41]. Our study adds a unique examination of the gender differences in the perspective of PYD. Overall, the structural component of parental presence and the functional component of family functioning are both important in different ways for the youth in our sample.

The reports of CVE in this sample youth are consistent with external data indicating high levels of community violence in W/SW Philadelphia, and with previous literature detailing the high proportion of youth exposed to community violence in urban settings [42]. The data

on different types of CVE provide detailed information on proximal and distal exposure to violence in the community. As expected, youth reported hearing about community violence the most, followed by witnessing and more proximally direct victimization. In this sample, youth reported roughly the same proportions of the different types of CVE as other published studies with youth in urban settings [35, 43].

The mean score (69.97) for PYD in this sample of predominately African American youth living in violent, urban environments was similar to scores reported in previous studies. Mean scores for youth in grades 5th-8th (around 10–13 years old) have been reported as 69.1–75.9, with older youth having lower scores [20, 44–46]. In our urban youth, there was no significant relationship between age and PYD. Consistent with previous reports, however, girls in this sample reported higher PYD than boys [46]. Studies using the *Measure of the 5 Cs and PYD from the 4-H Study of PYD* come from youth with geographic and socioeconomic diversity, but with a small percentage of African American youth (<10%). The findings from our study with predominately African American youth suggest the generalizability of PYD across race as well.

Future research in this area should examine better delineated knowledge of parental presence in the home. For parental presence, this study only considered yes/no answers to mother in the home and father in the home. Information specific to the roles that mothers, fathers, and other adult guardians play for youth would help provide a better understanding to parental/guardian roles in the relationship between CVE and PYD. The relationships between parents/guardians who live in the home and youth can be an important domain to target in an intervention. Therefore, more precise data on who and how youth self-define family would provide richer information on the contextual nature of presence of parents or guardians in the home and how youth see these individuals in regards to their self-definition of family and family functioning. This interplay and relationship to PYD would add knowledge to the literature.

Limitations

Interpreting the findings should take into consideration the limitations. Convenience sampling may have introduced increased threats of bias in our study, but examining a fairly homogenous population and not generalizing beyond that population can reduce the threat [47]. The convenience sample of youth was drawn from places in the community including community centers, libraries, parks, and fast food restaurants. Youth involved in community organizations could have more support structures than those not involved in programs, and recruiting from community organizations could limit the generalizability of the results. This is less likely given our broad attempts to recruit youth from a variety of settings where they are likely to hang out (e.g., basketball courts and fast food restaurants). The cross-sectional nature of this study also leaves the temporal sequence of events unclear. Youth with lower PYD may be at risk for increased likelihood of CVE. Likewise, youth with higher PYD may be more likely to contribute to the overall health of the family.

The strength of the bivariate correlation between family functioning and PYD and variance accounted for in the regression models begs the question: Are family functioning and PYD the same? We thoughtfully examined this by creating a “PYD score without connection to family” by removing items from the measure that related to family, and used it in some exploratory analysis. The mean score of “PYD score without connection to family” was not significantly different than the mean of the original PYD. The results from correlations and regression analyses using “PYD without connection to family” were relatively similar to the results from the original PYD score, with small variations in P -values across $P \leq .05$ and $P \geq .05$ for the interaction term of family functioning and gender in the models. These exploratory analyses supported the use of the original PYD score in the analyses.

Implications for the Community

This study focused on PYD to expand our understanding beyond negative aspects of youth development to those valued as positive. The findings from this study can contribute to the design and content of a community-based intervention for youth in violent environments. Undoubtedly, it speaks to the importance of positive outcomes in youth. PYD, as measured in this study, encompassed many facets of development, including social conscience, valuing diversity, behavior, self-worth, caring, connection to others, and school achievement. These dimensions are indicators of youth health and development, and are important to community members. It moves beyond using outcomes from a deficit perspective. Parents and community leaders in the neighborhoods where this study took place have spoken to the importance of addressing positive outcomes for youth in their community, such as youth planning for college, kids going to church, increased school attendance, and kids helping around the house [48]. The underlying approach of viewing youth from this positive perspective can set a foundation for healthy development.

Clearly, family is important to PYD in violent environments. Targeting family in an intervention is beneficial in augmenting health outcomes for youth in violence environments. Structural components of family (e.g., who lives in the home) are more difficult or impossible to modify, whereas family functioning can actually be a point of intervention to improve youth outcomes. Involving family as self-defined by the youth, in an intervention could help foster youth development. Community-based programs can capitalize on the importance of family processes by targeting not just youth in prevention programs, but also by building support systems and interventions for the family unit. Building evidenced-based programs for parents/guardians in community based settings has great potential for the future outcomes of youth living in violent environments. For girls, dyads of mothers and daughters can be specifically sought out. In the area of family, education in the community would be a strong arena for health promotion. Communication through community settings, newsletters, websites, and school nurses with information on the importance of family to outcomes in violent environment and tips on how to increase the overall health of the family through dimensions such as communication and problem solving are areas to target.

Conclusions

In this sample of predominately African American youth ages 10–16, family matters. In urban environments of pervasive violence the family can be protective for youth exposed to community violence. Gender differences indicate that girls and boys may need different modes of intervention to protect from the implications of CVE. Yet for both boys and girls overall, family is important. The environments of continuous community violence that urban youth live in are associated with hindering healthy development. Interrupting the pathway between CVE and poor outcomes requires focus on the family. The violence youth are exposed to in the community is unacceptable. It is a critical public health agenda to augment healthy development in these environments plagued by violence.

Acknowledgments

This research was supported by Award Number F31NR011107 (PI: Catherine C. McDonald) from the National Institute of Nursing Research. The content is solely the responsibility of the authors and does not necessarily represent the official views of the National Institute of Nursing Research or the National Institutes of Health. This work was also supported by the cooperative agreement number 5 U49 CE001093 from The Centers for Disease Control and Prevention. Its contents are the sole responsibility of the authors and do not represent the official position of the Centers for Disease Control and Prevention. We gratefully acknowledge Jamison Fargo, Alexandra Hanlon, and Douglas Wiebe for their guidance on statistical analyses.

References

1. Cooley MR, Turner SM, Beidel DC. Assessing community violence: The children's report of exposure to violence. *Journal of the American Academy of Child and Adolescent Psychiatry*. 1995; 34(2):201–206. [PubMed: 7896653]
2. Hamblen, J.; Goguen, C. [Accessed February 22, 2011] National Center for PTSD: Community violence. 2010. <http://www.ptsd.va.gov/professional/pages/community-violence.asp>
3. Farrell AD, Bruce SE. Impact of exposure to community violence on violent behavior and emotional distress among urban adolescents. *Journal of Clinical Child Psychology*. 1997; 26(1):2–14. [PubMed: 9118172]
4. Overstreet S, Braun S. Exposure to community violence and posttraumatic stress symptoms: Mediating factors. *American Journal of Orthopsychiatry*. 2000; 70(2):263–271. [PubMed: 10826038]
5. Mazza JJ, Reynolds WM. Exposure to violence in young inner-city adolescents: Relationships with suicidal ideation, depression, and PTSD symptomatology. *Journal of Abnormal Child Psychology*. 1999; 27(3):203–213. [PubMed: 10438186]
6. Pastore DR, Fisher M, Friedman SB. Violence and mental health problems among urban high school students. *Journal of Adolescent Health*. 1996; 18(5):320–324. [PubMed: 9156543]
7. Duckworth MP, Hale DD, Clair SD, Adams HE. Influence of interpersonal violence and community chaos on stress reactions in children. *Journal of Interpersonal Violence*. 2000; 15(8):806–826.
8. Howard DE, Feigelman S, Li X, Cross S, Rachuba L. The relationship among violence victimization, witnessing violence, and youth distress. *Journal of Adolescent Health*. 2002; 31(6): 455–462. [PubMed: 12457578]
9. Cooley-Quille M, Boyd RC, Frantz E, Walsh J. Emotional and behavioral impact of exposure to community violence in inner-city adolescents. *Journal of Clinical Child Psychology*. 2001; 30(2): 199–206. [PubMed: 11393920]
10. Foster JD, Kuperminc GP, Price AW. Gender differences in posttraumatic stress and related symptoms among inner-city minority youth exposed to community violence. *Journal of Youth and Adolescence*. 2004; 33(1):59–69.
11. Gorman-Smith D, Tolan P. The role of exposure to community violence and developmental problems among inner-city youth. *Development and Psychopathology*. 1998; 10(1):101–116. [PubMed: 9524810]
12. Cooley-Quille M, Lorion R. Adolescents exposure to community violence: Sleep and psychophysiological functioning. *Journal of Community Psychology*. 1999; 27(4):367–375.
13. O'Donnell DA, Schwab-Stone ME, Muyeed AZ. Multidimensional resilience in urban children exposed to community violence. *Child Development*. 2002; 73(4):1265–1282. [PubMed: 12146747]
14. Wilson WC, Rosenthal BS. The relationship between exposure to community violence and psychological distress among adolescents: A meta-analysis. *Violence and Victims*. 2003; 18(3): 335–352. [PubMed: 12968662]
15. Scales PC, Benson PL, Leffert N, Blyth DA. Contribution of developmental assets to the prediction of thriving among adolescents. *Applied Developmental Science*. 2000; 4(1):27–46.
16. Lerner, RM. *Liberty: Thriving and civic engagement among America's youth*. Thousand Oaks, CA: Sage Publications, Inc; 2004.
17. Lerner RM, Lerner JV, Almerigi JB, et al. Positive youth development, participation in community youth development programs, and community contributions of fifth-grade adolescents: Findings from the first wave of the 4-H study of positive youth development. *Journal of Early Adolescence*. 2005; 25(1):17–71.10.1177/0272431604272461
18. Roth JL, Brooks-Gunn J. What exactly is a youth development program? Answers from research and practice. *Applied Developmental Science*. 2003; 7(2):94–111.
19. Roth, JL.; Brooks-Gunn, J. What is a youth development program? Identification and defining principles. In: Jacobs, F.; Wertlieb, D.; Lerner, RM., editors. *Enhancing the life chances of youth and families: Public service systems and policy perspectives: Vol. 2, handbook of applied*

- developmental science: Promoting positive child, adolescent, and family development through research, policies and programs. Thousand Oaks, CA: Sage; 2003. p. 197-223.
20. Jelicic H, Bobek DL, Phelps E, Lerner RM, Lerner JV. Using positive youth development to predict contribution and risk behaviors in early adolescence: Findings from the first two waves of the 4-H study of positive youth development. *International Journal of Behavioral Development*. 2007; 31(3):263–273.10.1177/0165025407076439
 21. Bronfenbrenner, U. Ecological systems theory. In: Bronfenbrenner, U., editor. *Making human beings human: Biological perspectives on human development*. Thousand Oaks, CA: Sage Publications; 2005. p. 106-173.
 22. Kazak AE, Kassam-Adams N, Schneider S, Zelikovsky N, Alderfer MA, Rourke MT. An integrative model of pediatric medical traumatic stress. *Journal of Pediatric Psychology*. 2006; 31(4):343–355. [PubMed: 16093522]
 23. Epstein NB, Baldwin I, Bishop D. The McMaster family assessment device. *Journal of Marital and Family Therapy*. 1983; 9(2):171–180.
 24. Copeland-Linder N, Lambert SF, Ialongo NS. Community violence, protective factors, and adolescent mental health: A profile analysis. *Journal of Clinical Child and Adolescent Psychology*. 2010; 39(2):176–186. [PubMed: 20390809]
 25. Philadelphia Collaborative Violence Prevention Center. [Accessed December 22, 2010] Philadelphia collaborative violence prevention center overview. 2011. <http://stokes.chop.edu/programs/pcvpc/overview-who-we-are/>
 26. Teitelman A, McDonald CC, Wiebe DJ, et al. Youth's strategies for staying safe and coping with the stress of living in violent communities. *Journal of Community Psychology*. 2010; 38(7):874–885. [PubMed: 21765562]
 27. Search Institute. Search Institute profiles of student life: Attitudes and behaviors. Minneapolis, MN: Search Institute; 1996. www.searchinstitute.org All rights reserved. Used by permission
 28. Harter S. Supplementary description of the self-perception profile for children: Revision of the perceived competence scale for children. 1983 Unpublished Manuscript.
 29. Small, SA.; Rodgers, KB. Teen Assessment Project (TAP) Survey Question Bank. Madison: University of Wisconsin-Madison; 1995.
 30. Davis M. A multidimensional approach to individual differences in empathy. *Catolog of Selected Documents in Psychology*. 1980; 10(4):1–17.
 31. Eisenberg N, Fabes RA, Murphy BC, Karbon M, Smith M, Maszk P. The relations of children's dispositional empathy-related responding to their emotionality, regulation, and social functioning. *Developmental Psychology*. 1996; 32(2):195–209.
 32. Marcellus L. Looking at families in nursing research: Strategies for study design. *Issues in Comprehensive Pediatric Nursing*. 2006; 29(4):225–245. [PubMed: 17190776]
 33. Royston P. Multiple imputation of missing values. *The Stata Journal*. 2004; 4(3):227–241.
 34. Leiber MJ, Mack KY, Featherstone RA. Family structure, family processes, economic factors, and delinquency: Similarities and differences by race and ethnicity. *Youth Violence and Juvenile Justice*. 2009; 7(2):79–99.10.1177/15412040083 27144
 35. Howard KAS, Budge SL, McKay KM. Youth exposed to violence: the role of protective factors. *Journal of Community Psychology*. 2010; 38(1):63–79.
 36. Spano R, Vazsonyi AT, Bolland J. Does parenting mediate the effects of exposure to violence on violent behavior? An ecological-transactional model of community violence. *Journal of Adolescence*. 2009; 32(5):1321–1341. [PubMed: 19162312]
 37. Gorman-Smith D, Henry DB, Tolan PH. Exposure to community violence and violence perpetration: The protective effects of family functioning. *Journal of Clinical Child and Adolescent Psychology*. 2004; 33(3):439–449. [PubMed: 15271602]
 38. Molnar BE, Roberts AL, Browne A, Gardener H, Buka SL. What girls need: Recommendations for preventing violence among urban girls in the US. *Social Science and Medicine*. 2005; 60(10): 2191–2204. [PubMed: 15748668]
 39. Biederman DJ, Nichols TR, Durham DD. Maternal navigational strategies: Examining mother-daughter dyads in adolescent families of color. *Journal of Family Nursing*. 2010; 16(4):394–421.10.1177/1074840710385001 [PubMed: 21051756]

40. Kennedy AC, Bybee D, Sullivan CM, Greeson M. The effects of community and family violence exposure on anxiety trajectories during middle childhood: The role of family social support as a moderator. *Journal of Clinical Child and Adolescent Psychology*. 2009; 38(3):365–379. [PubMed: 19437297]
41. Rosario M, Salzinger S, Feldman R, Ng-Mak D. Intervening processes between youths' exposure to community violence and internalizing symptoms over time: The roles of social support and coping. *American Journal of Community Psychology*. 2008; 41(1):43–62. [PubMed: 18165895]
42. McDonald CC, Richmond TR. The relationship between community violence exposure and mental health symptoms in urban adolescents. *Journal of Psychiatric and Mental Health Nursing*. 2008; 15(10):833–849. [PubMed: 19012675]
43. Boyd RC, Wooden TD, Munro MA, Liu T, Ten Have T. The impact of community violence exposure on anxiety in children of mothers with depression. *Journal of Child and Adolescents Trauma*. 2008; 1(4):287–299.
44. Zimmerman SM, Phelps E, Lerner RM. Positive and negative developmental trajectories in US adolescents: Where the positive youth development perspective meets the deficit model. *Research in Human Development*. 2008; 5(3):153–165.
45. Urban JB, Lewin-Bizan S, Lerner RM. The role of neighborhood ecological assets and activity involvement in youth developmental outcomes: Differential impacts of asset poor and asset rich neighborhoods. *Journal of Applied Developmental Psychology*. 2009; 30:601–614.
46. Phelps E, Balsano AB, Fay K, et al. Nuances in early adolescent developmental trajectories of positive and problematic/risk behaviors: Finding from the 4-H study of positive youth development. *Child and Adolescent Psychiatric Clinics of North America*. 2007; 16(2):473–496. [PubMed: 17349519]
47. Carter KF, Kolbok PA. Motivation for health behaviors: A systematic review of the nursing literature. *Journal of Advanced Nursing*. 2002; 40(3):316–330. [PubMed: 12383183]
48. Hausman AJ, Hohl B, Hanlon A, et al. Translating community-specified indicators of program success into measurable outcomes. *Journal of Public Health Management and Practice*. 2009; 15(6):e22–e30. [PubMed: 19823146]

Table 1

Community violence exposure percentages by type

Type of CVE	<i>n</i> (%)
<i>Total CVE</i>	102 (97%)
Hearing about	103 (95%)
Hearing about stranger	102 (93%)
Hearing about familiar	102 (93%)
Witnessing	95 (87%)
Witnessed stranger	84 (77%)
Witnessed familiar	85 (78%)
Direct victimization	58 (54%)
Never been victimized	50 (46%)
Victimized once	17 (16%)
Repeated victimization (≥ 2 times)	41 (38%)

Table 2

Descriptive statistics of key variables

Variable (Possible Range)	Mean (SD)	Range
Total CVE (0–96)	23.10 (12.38)	0–57
Hearing about (0–40)	16.31 (8.24)	0–33
Witnessing (0–40)	5.72 (4.88)	0–23
Direct victimization (0–16)	1.37 (1.81)	0–10
PYD (0–100)	69.97 (15.57)	28–100
Competence (0–100)	64.25 (17.40)	27–100
Confidence (0–100)	75.69 (20.48)	27–100
Connection (0–100)	69.66 (20.34)	19–100
Character (0–100)	65.41 (19.46)	18–100
Caring (0–100)	67.26 (20)	22–100
Family functioning (1–4)	1.95 (.53)	1–3.92

Table 3

Correlation matrix of key variables

	Total CVE	Hearing about	Witnessing	Direct victimization	PYD	Age
Hearing about	.93*					
Witnessing	.83*	.62*				
Direct victimization	.47*	.26*	.54*			
PYD	-.28*	-.18	-.27*	-.31*		
Age	.09	.10	.03	-.08	.04	
Family functioning	.21	.10	.28*	.26*	-.70*	-.08

Pearsons correlation coefficient used for relationships between age, total CVE, hearing about, family functioning, and PYD. Spearman's correlation coefficient used for relationships involving direct victimization and witnessing due to skewed data.

* $P \leq .05$

Bold values are $P \leq .05$

Table 4

Descriptive statistics compared by gender

Variable	Boys		Girls		Significance test
	Mean	(SD)	Mean	(SD)	
Total CVE	26.83	(15.01)	20.09	(8.79)	$t(103) = 2.87, P = .005^*$
Direct victimization	1.92	(2.11)	.92	(1.37)	$z(106) = 3.02, P = .005^*$
Witnessing	7.24	(5.67)	4.38	(3.62)	$z(107) = 2.66, P = .008^*$
Hearing about	18.10	(9.47)	14.83	(6.79)	$t(106) = 2.09, P = .04^*$
PYD	62.82	(15.74)	76.04	(12.71)	$t(83) = -4.29, P < .001^*$
Age	12.98	(1.97)	13.20	(1.97)	$t(108) = -.59, P = .56$
Family functioning	2.12	(.53)	1.80	(.48)	$t(101) = 3.20, P = .002^*$

Independent t test used for total CVE, hearing about community violence, PYD, age, and family functioning. Wilcoxon-Mann-Whitney test used for direct victimization and witnessing community violence.

* $P \leq .05$

Table 5

Regression models for PYD for the different types of CVE

	Total CVE		Total CVE with interactions		Hearing about		Hearing about with interactions		Witnessing		Witnessing with interactions		Victimization		Victimization with interactions	
	Coeff	se	Coeff	se	Coeff	se	Coeff	se	Coeff	se	Coeff	se	Coeff	se	Coeff	se
Gender	8.03*	2.56	-23.22	12.39	8.20*	2.53	-23.55	12.43	8.17*	2.58	-23.49	12.25	7.97*	2.61	-21.31	12.18
Mom in home	2.26	3.48	-4.50	4.38	2.31	3.48	-4.48	4.38	2.19	3.51	-4.48	4.39	2.66	3.46	-4.33	4.38
Dad in home	4.06	2.68	4.38	2.60	4.04	2.71	4.42	2.63	4.20	2.64	4.39	2.55	4.51	2.60	4.74	2.52
Type of CVE	-.05	.11	-.01	.12	-.05	.17	.01	.17	-.09	.31	.01	.32	No Vic Ref		Ref	
FF	-16.97*	2.48	-20.80*	3.4	-17.10*	2.45	-20.93*	3.34	-16.93*	2.53	-20.90*	3.47	-16.88*	2.47	-20.09*	3.30
FF × gender			9.87*	4.97			10.07*	4.95			10.03*	4.89			8.74	4.82
Mom × gender			15.39*	6.26			15.44*	8.49			15.45*	6.25			15.45*	6.26
R ²		.53		.57		.53		.57		.53		.57		.54		.58

* P ≤ .05.

FF = Family Functioning